Department of Human Services Bureau of Human Service Licensing

June 27, 2022

SAUCON VALLEY MANOR INC 1050 MAIN STREET HELLERTOWN, PA, 18055

> RE: SAUCON VALLEY MANOR 1050 MAIN STREET HELLERTOWN, PA, 18055 LICENSE/COC#: 22645

Dear

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 06/07/2022 of the above facility, no regulatory citations have been identified as a result of this inspection.

Sincerely, Michele Moskalczyk Human Services Licensing Supervisor

Enclosure Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Department of Human Services Bureau of Human Service Licensing LICENSING INSPECTION SUMMARY

Facility Information				
Name: SAUCON VALLEY MANO	R	License #: 22645	License Expiration: 06/27/2023	
Address: 1050 MAIN STREET, HELLERTOWN, PA 18055				
County: NORTHAMPTON	Region: NORTHEAS	T		
Administrator				
Name:	Phone: 6107488888	B Email:		
Legal Entity				
Name: SAUCON VALLEY MANO	R INC			
Address: 1050 MAIN STREET, HE	LLERTOWN, PA, 18055			
Phone: 6107488888	Email:			
Certificate(s) of Occupancy				
Type: C-2 LP	Date: 08/16/2004		Issued By: L&I	
Staffing Hours				
Resident Support Staff: 0	Total Daily Staff: 22	2	Waking Staff: 17	
Inspection Information				
Type: Full	Notice: Unannounced	BHA Docket #:		
Reason: Renewal		Exit Conference Da	xit Conference Date: 06/07/2022	
Inspection Dates and Department Representative				
06/07/2022 - On-Site:				
Resident Demographic Data as of Inspection Dates				
General Information				
License Capacity: 22		Residents Serve	d: 12	
Special Care Unit				
In Home: No	Area:	Capacity:	Residents Served:	
Hospice Current Residents: 1				
Number of Residents Who:				
Receive Supplemental Security Income: 0		Are 60 Years of	Age or Older: 12	
Diagnosed with Mental Illness: 0		Diagnosed with Intellectual Disability: 0		
Have Mobility Need: 10		Have Physical D	isability: 0	
Inspections / Reviews				
06/07/2022 - Full				
Lead Inspector: Follow-Up Type: Not Required				

NO DEFICIENCIES FOUND