

Department of Human Services
Bureau of Human Service Licensing

August 17, 2022

[REDACTED]
EC OPCO BERWICK LLC
[REDACTED]
[REDACTED]

RE: CELEBRATION VILLA OF BERWICK
2050 WEST FRONT STREET
BERWICK, PA, 18603
LICENSE/COC#: 22717

Dear [REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 08/09/2022 of the above facility, no regulatory citations have been identified as a result of this inspection.

Sincerely,

[REDACTED]
Human Services Licensing Supervisor

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY

Facility Information

Name: *CELEBRATION VILLA OF BERWICK* License #: *22717* License Expiration: *07/09/2023*
Address: *2050 WEST FRONT STREET, BERWICK, PA 18603*
County: *COLUMBIA* Region: *NORTHEAST*

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: *EC OPCO BERWICK LLC*
Address: [REDACTED]
Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: *C 2 LP* Date: *10/06/1998* Issued By: *PA L&I*
Type: *I 2* Date: *11/06/2010* Issued By: *Brier Creek Brough*

Staffing Hours

Resident Support Staff: *0* Total Daily Staff: *NaN* Working Staff: *NaN*

Inspection Information

Type: *Partial* Notice: *Unannounced* BHA Docket #:
Reason: *Monitoring* Exit Conference Date: *08/10/2022*

Inspection Dates and Department Representative

08/09/2022 On Site [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: *76* Residents Served: *47*

Secured Dementia Care Unit

In Home: *No* Area: Capacity: Residents Served:

Hospice

Current Residents: *0*

Number of Residents Who:

Receive Supplemental Security Income: *0* Are 60 Years of Age or Older: *47*
Diagnosed with Mental Illness: *0* Diagnosed with Intellectual Disability: *0*
Have Mobility Need: *15* Have Physical Disability: *1*

Inspections / Reviews

08/09/2022 - Partial

Lead Inspector



Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND