

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

April 28, 2023

[REDACTED]
EC OPCO MID VALLEY LLC
[REDACTED]
[REDACTED]

RE: CELEBRATION VILLA OF MID VALLEY
89 STURGES ROAD, PO BOX 116
PECKVILLE, PA, 18452
LICENSE/COC#: 22718

Dear [REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 04/12/2023, 04/13/2023 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: CELEBRATION VILLA OF MID VALLEY **License #:** 22718 **License Expiration:** 07/11/2023
Address: 89 STURGES ROAD, PO BOX 116, PECKVILLE, PA 18452
County: LACKAWANNA **Region:** NORTHEAST

Administrator

Name: [REDACTED] **Phone:** [REDACTED] **Email:** [REDACTED]

Legal Entity

Name: EC OPCO MID VALLEY LLC
Address: [REDACTED]
Phone: [REDACTED] **Email:** [REDACTED]

Certificate(s) of Occupancy

Staffing Hours

Resident Support Staff: 0 **Total Daily Staff:** 62 **Waking Staff:** 47

Inspection Information

Type: Partial **Notice:** Unannounced **BHA Docket #:**
Reason: Complaint, Incident **Exit Conference Date:** 04/13/2023

Inspection Dates and Department Representative

04/12/2023 On Site [REDACTED]
04/13/2023 Off Site [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information			
License Capacity: 50	Residents Served: 31		
Secured Dementia Care Unit			
In Home: Yes	Area: n/a	Capacity: 50	Residents Served: 31
Hospice			
Current Residents: 5			
Number of Residents Who:			
Receive Supplemental Security Income: 0	Are 60 Years of Age or Older: 30		
Diagnosed with Mental Illness: 0	Diagnosed with Intellectual Disability: 0		
Have Mobility Need: 31	Have Physical Disability: 0		

Inspections / Reviews

04/12/2023 - Partial
Lead Inspector: [REDACTED] **Follow-Up Type:** Not Required

NO DEFICIENCIES FOUND