

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

November 6, 2023

[REDACTED]
PROVIDENCE PLACE OF HAZLETON ASSOCIATES
[REDACTED]

RE: PROVIDENCE PLACE OF HAZLETON
149 SOUTH HUNTER HIGHWAY
DRUMS, PA, 18222
LICENSE/COC#: 22760

Dear [REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 10/18/2023 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: PROVIDENCE PLACE OF HAZLETON License #: 22760 License Expiration: 04/01/2024
Address: 149 SOUTH HUNTER HIGHWAY, DRUMS, PA 18222
County: LUZERNE Region: NORTHEAST

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: PROVIDENCE PLACE OF HAZLETON ASSOCIATES
Address: [REDACTED]
Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: I-2 Date: 08/16/2010 Issued By: Butler Twp.

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 139 Waking Staff: 104

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
Reason: Incident Exit Conference Date: 10/18/2023

Inspection Dates and Department Representative

10/18/2023 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 155 Residents Served: 99

Special Care Unit

In Home: Yes Area: Connections Capacity: 42 Residents Served: 26

Hospice

Current Residents: 9

Number of Residents Who:

Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 99
Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 0
Have Mobility Need: 40 Have Physical Disability: 1

Inspections / Reviews

10/18/2023 - Partial

Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND