

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY PUBLIC

January 5, 2024

[REDACTED], ADMINISTRATOR
EC OPCO BERWICK LLC

RE: CELEBRATION VILLA OF BERWICK
2050 WEST FRONT STREET
BERWICK, PA, 18603
LICENSE/COC#: 22717

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 12/14/2023 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: CELEBRATION VILLA OF BERWICK License #: 22717 License Expiration: 07/09/2024
 Address: 2050 WEST FRONT STREET, BERWICK, PA 18603
 County: COLUMBIA Region: NORTHEAST

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: EC OPCO BERWICK LLC
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: C-2 LP Date: 10/06/1998 Issued By: L&I
 Type: I-2 Date: 11/06/2010 Issued By: Briar Creek Borough

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 54 Waking Staff: 41

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
 Reason: Incident Exit Conference Date: 12/14/2023

Inspection Dates and Department Representative

12/14/2023 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: 76 Residents Served: 47

Secured Dementia Care Unit
 In Home: No Area: Capacity: Residents Served:

Hospice
 Current Residents: 0

Number of Residents Who:
 Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 47
 Diagnosed with Mental Illness: 2 Diagnosed with Intellectual Disability: 0
 Have Mobility Need: 7 Have Physical Disability: 0

Inspections / Reviews

12/14/2023 Partial
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND