

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

March 26, 2024

[REDACTED]
EC OPCO MID VALLEY LLC

[REDACTED]
ECLIPSE SR LIV ATTN LICENSING
[REDACTED]

RE: CELEBRATION VILLA OF MID VALLEY
67 STURGES ROAD
PECKVILLE, PA, 18452
LICENSE/COC#: 22718

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 03/06/2024 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: CELEBRATION VILLA OF MID VALLEY License #: 22718 License Expiration: 07/11/2024
Address: 67 STURGES ROAD, PECKVILLE, PA 18452
County: LACKAWANNA Region: NORTHEAST

Administrator

Name: [Redacted] Phone: [Redacted] Email: [Redacted]

Legal Entity

Name: EC OPCO MID VALLEY LLC
Address: [Redacted]
Phone: [Redacted] Email: [Redacted]

Certificate(s) of Occupancy

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 88 Waking Staff: 66

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
Reason: Complaint, Incident Exit Conference Date: 03/06/2024

Inspection Dates and Department Representative

03/06/2024 - On-Site: [Redacted]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 50 Residents Served: 44

Secured Dementia Care Unit

In Home: Yes Area: Entire building Capacity: 50 Residents Served: 44

Hospice

Current Residents: 4

Number of Residents Who:

Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 44
Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 0
Have Mobility Need: 44 Have Physical Disability: 0

Inspections / Reviews

03/06/2024 - Partial

Lead Inspector: [Redacted] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND